

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

AUG 18 2014

COTTON VARIETIES PLANTED 1958 - 1962

LIBRARY
PLANT VARIETY PROTECTION OFFICE
U. S. DEPARTMENT OF AGRICULTURE



UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Cotton Division
Memphis, Tennessee

CONTENTS

	Table No.	Page No.
Introduction		1
Leading Varieties		1
United States Map		2
Varieties by States and United States	1	3
Varieties by States and Counties:		
Alabama		
Varieties by State	8	10
Varieties by Counties	9	11
Arizona		
Varieties by State	25	26
Varieties by Counties	26	27
Arkansas		
Varieties by State	16	16
Varieties by Counties	17	17
California		
Varieties by State	25	26
Varieties by Counties	26	27
Florida		
Varieties by State	24	26
Georgia		
Varieties by State	6	8
Varieties by Counties	7	9
Illinois		
Varieties by State	24	26
Kentucky		
Varieties by State	24	26
Louisiana		
Varieties by State	18	18
Varieties by Counties	19	19
Mississippi		
Varieties by State	10	12
Varieties by Counties	11	13
Missouri		
Varieties by State	14	15
Varieties by Counties	15	15
Nevada		
Varieties by State	25	26
New Mexico		
Varieties by State	25	26
Varieties by Counties	26	27
North Carolina		
Varieties by State	2	4
Varieties by Counties	3	5
Oklahoma		
Varieties by State	20	20
Varieties by Counties	21	21
South Carolina		
Varieties by State	4	6
Varieties by Counties	5	7
Tennessee		
Varieties by State	12	14
Varieties by Counties	13	15
Texas		
Varieties by State	22	22-23
Varieties by Counties	23	24-25
Texas-District 6		
Varieties by District	25	26
Varieties by Counties	26	27
Virginia		
Varieties by State	24	26

Cotton Varieties Planted, United States

1958-1962

Estimates of the percentages of the various varieties of cotton planted in the United States in 1962, by counties, districts, and states, are presented in this report. Comparative variety data for the four years 1958-61 are shown by districts and states. A preliminary report containing percentage distributions of cotton varieties planted by counties and districts in the early harvesting area of south Texas was published in mid-June.

The variety data presented herein are based principally on estimates furnished by cotton ginner for the territories served by their gins. Supplemental information is obtained from others closely associated with cotton culture in their respective areas, such as seed breeders and dealers, and county agents.

Three general varieties of cotton account for about 51 percent of the cotton acreage planted in the United States this year. These varieties in order of their relative importance are Deltapine, Acala and Lankart. A percentage distribution of the ten leading general varieties planted in 1962 with comparison for four previous years is presented at the foot of this page. All strains of each particular variety are combined for the purpose of the comparison.

Deltapine continues as the leading variety of cotton planted in the United States for the third consecutive year. About 25 percent of the total 1962 acreage was planted to Deltapine with the strain DPL Smooth Leaf accounting for 20 percent of total acreage against 17 percent a year earlier and six percent two years ago. Deltapine is the principal variety planted in Arizona, Kentucky, Louisiana, Mississippi and Tennessee.

Acala is the second leading variety of cotton planted this year. Estimates indicate that this variety accounts for 15 percent of total acreage, down slightly from a year earlier. Acala continues as the leading variety in California, Nevada, New Mexico and District 6 of Texas. Acala 1517 strains are the most popular in all states named above with the exception of California where Acala 4-42 accounts for about 89 percent of the acreage planted in that state.

Lankart is the third leading variety of cotton planted this year with 11 percent of the total United States acreage against 12 percent last year. Lankart is the principal variety planted in both Texas and Oklahoma and accounts for 31 and 52 percent, respectively, of total acreage planted in each of these states.

The next three leading varieties, Coker, Gregg, and Rex, each account for about seven percent of total United States acreage. Coker continues to be the principal variety planted in all southeastern states with the exception of Alabama. Of the ten leading general varieties, Gregg showed the largest percentage-wise gain in popularity by more than doubling its acreage this year. This variety was planted principally in Oklahoma, Texas and New Mexico, being the second leading variety in the latter two states. Rex is the leading variety planted in Arkansas and Missouri, accounts for substantial acreage in North Carolina, and is planted to some degree in all but four cotton producing states.

Other leading varieties planted this year are Stoneville, Delfos, Dixie King and Western Stormproof. Stoneville is planted primarily in the south central and southwestern states while Delfos maintains fair sized-acreage in Arkansas and Missouri. Dixie King is a new-comer to this year's list of the ten leading varieties. It is the most popular variety in Alabama and represents the second largest acreage planted in Tennessee. Western Stormproof accounts for three and nine percent, respectively, of total cotton acreage in Oklahoma and Texas. Pima S-2 replaced Pima S-1 as the leading variety of American-Egyptian cotton planted this season.

The variety data presented in this report are estimates which should serve as reliable guides as to the geographic distribution and proportions of the various varieties of cotton through the Cotton Belt.


Estimated percentage of cotton acreage planted to specified varieties, United States, 1958-62

Year	Acala	Coker	Delfos	Deltapine	Dixie King	Gregg	Lankart	Rex	Stoneville	Western Stormproof	Other ^{1/}	Total
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1958	25	10	3	25	°	°	13	°	2	2	20	100
1959	24	8	5	21	1	2	15	2	2	3	17	100
1960	21	8	4	24	2	3	12	4	3	3	16	100
1961	17	8	3	27	3	3	12	6	3	3	15	100
1962	15	7	3	25	3	7	11	7	5	3	14	100


° Less than 0.5 percent.

^{1/} Includes small acreages planted to varieties other than those specified.

UNITED STATES Districts for Cotton Quality Reports



U. S. DEPARTMENT OF AGRICULTURE



U.S. DEPARTMENT OF AGRICULTURE

Table 2. North Carolina: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1958-62.

District and State	Ginnings	Ooker 100	Dixie King	Empire	Rex	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent
District 1							
1958	38	96	-	3	-	1	100
1959	76	96	-	3	-	1	100
1960	47	93	*	6	*	1	100
1961	51	88	2	6	3	1	100
1962	-	73	6	4	10	7	100
District 2							
1958	146	97	-	1	-	2	100
1959	144	99	-	*	-	1	100
1960	108	93	-	3	*	4	100
1961	143	73	*	2	25	*	100
1962	-	64	*	-	35	1	100
District 3							
1958	77	97	*	1	-	2	100
1959	114	98	*	1	-	1	100
1960	90	94	1	4	-	1	100
1961	96	80	1	4	15	*	100
1962	-	55	2	-	43	*	100
State							
1958	261	97	*	1	-	2	100
1959	336	99	*	1	-	*	100
1960	245	93	*	4	*	3	100
1961	290	78	1	4	17	*	100
1962	-	62	2	1	33	2	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 3. North Carolina: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1962.

District and County	Gins	1961 Ginnings	Carolina Queen	Coker 100	Dixie King	Empire	Rex	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1									
Anson	7	6.3	-	88	-	3	3	6	100
Cabarrus	3	1.2	-	87	13	-	-	-	100
Catawba	4	.4	-	81	-	19	-	-	100
Cleveland	21	19.2	17	72	-	-	11	-	100
Iredell	7	3.9	-	53	27	5	11	4	100
Lincoln	6	3.5	-	86	-	-	12	2	100
Mecklenburg	5	4.0	-	93	5	-	-	2	100
Rowan	3	2.3	-	4	12	47	37	-	100
Rutherford	4	1.9	-	60	10	-	28	2	100
Stanley	4	.3	-	95	2	-	3	-	100
Union	10	6.0	-	84	7	1	8	-	100
All Other	5	1.8	-	36	29	25	10	-	100
Total	79	50.8	6	73	6	4	10	1	100
			Auburn 56	Coker 100	DeKalb	Dixie King	Rex	Other 1/	Total
District 2									
Bertie	4	3.8	-	84	-	-	16	-	100
Chowan	3	1.6	-	46	31	-	23	-	100
Edgecombe	6	7.4	-	90	-	-	10	-	100
Franklin	6	7.5	-	81	-	-	19	-	100
Halifax	15	24.6	-	79	-	-	21	-	100
Hertford	3	4.5	-	58	-	-	42	-	100
Johnston	14	13.3	-	56	-	-	44	-	100
Nash	12	13.6	-	65	4	-	31	-	100
Northampton	16	23.8	-	27	2	-	71	-	100
Pitt	5	6.3	-	43	1	-	56	-	100
Warren	7	7.0	-	87	-	-	13	-	100
Wayne	8	7.2	2	60	-	-	38	-	100
Wilson	7	9.8	-	55	-	1	44	-	100
All Other	6	12.1	-	87	-	1	12	-	100
Total	112	142.5	*	64	1	*	35	-	100
			Auburn 56	Coker 100	Dixie King	Rex	Other 1/	----	Total
District 3									
Cumberland	6	4.2	2	77	-	21	-	-	100
Harnett	11	14.2	-	19	-	81	-	-	100
Hoke	4	6.0	-	84	10	6	-	-	100
Lee	3	1.6	-	82	-	18	-	-	100
Richmond	3	.9	-	97	-	3	-	-	100
Robeson	19	28.9	-	59	-	41	-	-	100
Sampson	12	17.8	-	52	3	45	-	-	100
Scotland	6	16.2	-	55	3	42	-	-	100
All Other	8	6.4	-	80	-	20	-	-	100
Total	72	96.2	*	55	2	43	-	-	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.




Table 4. South Carolina: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1958-62.

District and State	Ginnings	Auburn 56	Coker 100	Dixie King	Empire	Rex	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1								
1958	57	-	95	2	1	-	2	100
1959	92	-	90	7	2	-	1	100
1960	70	-	89	7	2	•	2	100
1961	76	•	85	11	1	•	3	100
1962	-	1	80	13	1	2	3	100
District 2								
1958	163	-	97	1	1	-	1	100
1959	220	-	94	3	2	-	1	100
1960	222	-	87	7	4	•	2	100
1961	201	1	89	6	1	2	1	100
1962	-	1	87	6	1	5	•	100
District 3								
1958	82	-	93	5	1	-	1	100
1959	109	-	89	9	1	•	1	100
1960	127	-	87	10	1	1	1	100
1961	137	•	86	10	1	2	1	100
1962	-	•	88	8	•	3	1	100
State								
1958	302	-	96	2	1	-	1	100
1959	421	-	92	5	2	•	1	100
1960	419	-	87	8	3	•	2	100
1961	414	•	87	8	1	2	2	100
1962	-	1	86	8	1	4	•	100

• Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 5. South Carolina: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1962.

District and County	Gins	1961 Ginnings	Coker 100	DeKalb	Dixie King	Empire	Rex	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1									
Abbeville	4	6.2	56	-	35	5	4	*	100
Anderson	18	14.0	77	1	22	*	-	*	100
Cherokee	6	4.4	83	-	12	5	-	-	100
Chester	3	3.3	93	-	-	-	*	7	100
Edgefield	6	9.5	81	1	10	*	6	2	100
Greenville	7	3.8	85	1	13	1	*	-	100
Laurens	10	8.2	70	-	21	1	1	7	100
McCormick	3	1.6	88	12	-	-	-	-	100
Newberry	6	4.4	95	-	1	*	3	1	100
Oconee	3	2.0	100	-	-	-	-	-	100
Pickens	3	.8	100	-	-	-	-	-	100
Saluda	5	3.3	100	-	-	-	-	-	100
Spartanburg	10	2.7	97	-	1	1	-	1	100
York	9	8.2	82	*	7	-	2	9	100
All Other	5	3.7	99	-	*	*	1	-	100
Total	98	76.1	80	1	13	1	2	3	100
District 2									
Chesterfield	10	12.6	-	80	7	11	1	1	100
Clarendon	11	24.5	1	86	12	-	1	-	100
Darlington	8	14.3	-	98	*	-	2	-	100
Dillon	9	13.9	1	72	7	-	19	1	100
Florence	14	20.1	-	88	1	-	11	*	100
Lancaster	4	4.0	7	93	-	-	-	-	100
Lee	14	32.4	1	92	3	1	3	*	100
Marion	4	4.2	6	76	3	-	12	3	100
Marlboro	13	23.4	*	82	11	*	6	1	100
Richland	3	2.2	-	82	18	-	-	-	100
Sumter	18	28.1	6	82	8	-	4	*	100
Williamsburg	8	18.8	-	93	3	-	4	-	100
All Other	3	2.4	-	94	-	6	-	-	100
Total	119	200.9	1	87	6	1	5	*	100
District 3									
Aiken	7	14.9	89	9	2	-	*	-	100
Allendale	3	6.6	83	17	-	-	-	-	100
Bamberg	4	9.7	94	4	1	-	1	-	100
Barnwell	5	10.4	86	9	3	-	2	-	100
Calhoun	6	10.5	77	3	2	18	*	-	100
Colleton	4	4.6	72	27	-	-	1	-	100
Dorchester	4	7.1	92	7	1	-	*	-	100
Hampton	5	8.3	86	10	3	-	1	-	100
Lexington	4	6.6	96	3	1	-	*	-	100
Orangeburg	28	53.2	88	6	5	-	1	-	100
All Other	2	5.5	99	-	1	-	-	-	100
Total	72	137.4	88	8	3	1	*	-	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.




Table 6. Georgia: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1958-62.

District and State	Ginnings 1,000 bales	Auburn 56 Percent	Ooker 100 Percent	DeKalb Percent	Dixie King Percent	Empire Percent	Plains Percent	Other 1/ Percent	Total Percent
District 1									
1958	85	•	57	-	•	35	•	8	100
1959	175	•	64	-	1	31	•	4	100
1960	128	•	50	-	7	37	•	6	100
1961	134	•	47	4	12	35	•	2	100
1962	-	2	50	5	12	28	•	3	100
District 2									
1958	160	-	46	-	•	31	10	13	100
1959	201	-	48	-	1	26	15	10	100
1960	224	1	47	-	3	29	11	9	100
1961	227	5	48	•	7	24	9	7	100
1962	-	13	49	1	9	15	6	7	100
District 3									
1958	104	-	71	-	1	20	2	6	100
1959	145	-	66	-	3	18	2	11	100
1960	156	•	63	-	9	23	1	4	100
1961	151	3	59	•	17	17	•	4	100
1962	-	7	59	1	15	15	2	1	100
State									
1958	349	•	57	-	•	29	5	9	100
1959	521	•	58	-	1	25	7	9	100
1960	508	1	52	-	6	30	5	6	100
1961	512	3	52	1	11	25	4	4	100
1962	-	8	53	2	12	19	3	3	100

• Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 7. Georgia: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1962.

District and County	Gins	1961 Ginnings	Auburn 56	Coker 100	DeKalb	Delta-pine	Dixie King	Empire	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1										
Bartow	8	12.5	-	35	1	-	8	56	-	100
Carroll	5	1.5	-	72	-	-	14	14	-	100
Coweta	3	4.0	-	25	-	-	29	46	-	100
Floyd	5	3.6	5	71	-	-	4	19	1	100
Franklin	6	2.9	-	56	-	-	3	41	-	100
Gordon	5	4.2	1	19	1	-	10	69	-	100
Hart	6	7.1	-	48	-	-	28	24	-	100
Jackson	7	2.7	-	9	64	-	-	22	5	100
Jasper	3	2.2	-	16	4	72	8	-	-	100
Madison	4	7.6	-	64	35	-	-	1	-	100
Meriwether	5	5.7	-	54	-	-	29	-	17	100
Morgan	7	10.0	4	47	13	-	28	8	-	100
Pike	3	4.7	-	62	-	-	-	38	-	100
Polk	3	2.7	-	20	1	-	7	72	-	100
Walton	7	11.1	-	73	1	2	19	2	3	100
All Other	42	51.6	3	54	1	1	8	33	*	100
Total	119	134.1	2	50	5	2	12	28	1	100
			Auburn 56	Coker 100	DPL Smooth Leaf	Dixie King	Empire	Plains	Other 1/	Total
District 2										
Brooks	4	6.8	11	53	4	11	16	5	-	100
Calhoun	3	6.3	9	79	1	5	6	-	-	100
Colquitt	8	19.3	18	44	2	8	15	12	1	100
Crisp	4	14.7	-	59	-	17	16	4	4	100
Dodge	5	6.9	1	67	2	-	25	4	1	100
Dooly	8	19.5	1	64	6	12	1	8	8	100
Irwin	3	4.4	32	31	-	1	34	1	1	100
Macon	5	10.4	22	47	2	12	2	-	15	100
Mitchell	4	7.4	17	49	-	7	24	2	1	100
Pulaski	4	9.4	4	52	10	9	6	14	5	100
Sumter	3	11.6	27	22	15	13	3	18	2	100
Taylor	5	10.7	1	45	-	2	52	-	-	100
Terrell	4	12.3	5	60	1	1	11	11	11	100
Thomas	4	2.4	23	50	-	2	14	9	2	100
Tift	4	8.0	30	34	-	18	16	2	-	100
Turner	4	8.9	23	56	-	5	11	5	-	100
Wilcox	4	8.1	26	40	1	19	9	4	1	100
Worth	5	9.2	14	38	-	7	32	6	3	100
All Other	32	50.4	11	56	1	9	14	5	4	100
Total	113	226.7	13	49	3	9	15	6	5	100
			Auburn 56	Coker 100	Dixie King	Empire	Plains	Wannamaker All-in-one	Other 1/	Total
District 3										
Bulloch	5	10.9	5	68	3	19	2	-	3	100
Burke	13	31.0	2	57	16	23	-	-	2	100
Candler	3	4.5	-	67	33	-	-	-	-	100
Emanuel	5	7.6	1	49	12	35	-	3	-	100
Jefferson	8	15.9	3	41	34	19	-	2	1	100
Johnson	4	7.3	26	54	8	12	-	-	-	100
Laurens	7	15.6	24	46	13	5	12	-	-	100
Screven	5	12.0	5	81	11	3	-	-	-	100
Toombs	4	5.7	2	81	6	6	-	5	-	100
Washington	5	11.4	17	66	5	10	2	-	-	100
All Other	19	29.1	4	58	17	15	-	4	2	100
Total	78	151.0	7	59	15	15	2	1	1	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.




Table 8. Alabama: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1958-62.

District and State	Ginnings	Auburn 56	Coker 100	DeKalb	Delta-pine	Dixie King	Empire	Plains	Rex	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
1958	220	°	11	-	25	1	42	9	-	12	100
1959	406	1	11	-	20	11	40	11	-	6	100
1960	398	°	11	-	14	18	44	7	-	6	100
1961	323	10	13	1	8	26	32	4	1	5	100
1962	-	7	5	3	8	30	33	2	7	5	100
District 2											
1958	136	2	51	-	26	4	7	7	-	3	100
1959	180	4	50	-	18	13	5	6	-	2	100
1960	202	10	42	-	11	21	9	6	-	1	100
1961	173	17	34	°	4	33	6	5	°	1	100
1962	-	26	30	°	5	29	5	4	1	°	100
District 3											
1958	86	3	59	-	2	-	5	23	-	8	100
1959	129	2	53	-	2	1	7	26	-	9	100
1960	156	14	52	-	2	1	5	20	-	6	100
1961	125	24	52	°	1	5	4	10	-	4	100
1962	-	21	58	1	1	7	2	7	-	3	100
State											
1958	442	1	33	-	21	2	26	11	-	6	100
1959	715	2	31	-	16	9	23	13	-	6	100
1960	756	6	26	-	11	16	28	9	-	4	100
1961	621	15	25	°	6	24	19	6	1	4	100
1962	-	15	22	2	6	25	19	3	4	4	100

° Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 9. Alabama: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1962.

District and County	Gins	1961 Ginnings 1,000	Auburn 56	Coker 100	DeKalb	Delta- pine	Dixie King	Empire	Rex	Other 1/	Total
	Number	bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
Blount	7	5.8	14	4	28	-	40	14	-	-	100
Cherokee	14	20.9	22	5	-	-	38	29	-	6	100
Colbert	8	19.8	7	-	-	25	24	29	3	12	100
Cullman	22	21.1	5	1	2	1	54	12	5	20	100
De Kalb	27	21.0	1	26	1	-	54	8	7	3	100
Etowah	6	3.3	-	16	7	-	51	25	-	1	100
Franklin	7	11.4	15	-	-	-	42	17	-	26	100
Jackson	12	10.7	2	1	-	2	60	32	-	3	100
Lauderdale	15	22.7	34	-	-	21	9	33	3	-	100
Lawrence	15	40.9	4	-	-	15	39	31	1	10	100
Limestone	20	46.0	2	-	6	14	9	51	18	-	100
Madison	24	47.4	-	9	1	2	8	64	5	11	100
Marion	4	8.6	3	2	-	30	40	15	2	8	100
Marshall	20	16.6	3	13	19	-	37	15	5	8	100
Morgan	14	22.8	10	9	5	4	20	13	32	7	100
Winston	4	4.3	11	3	-	-	77	9	-	-	100
Total	219	323.3	7	5	3	8	30	33	7	7	100

			Auburn 56	Coker 100	Delta- pine	Dixie King	Empire	Plains	Rex	Other 1/	Total
District 2											
Autauga	5	5.6	82	18	-	-	-	-	-	-	100
Calhoun	5	4.5	21	4	-	30	4	41	-	-	100
Chambers	3	5.5	2	37	4	57	-	-	-	-	100
Chilton	3	4.7	18	61	4	6	5	6	-	-	100
Clay	4	.6	-	67	-	6	25	2	-	-	100
Dallas	9	21.2	23	46	2	6	20	3	-	-	100
Elmore	5	11.5	28	54	-	18	-	-	-	-	100
Fayette	5	9.0	13	-	3	61	6	17	-	-	100
Hale	7	11.2	40	6	13	31	1	8	1	-	100
Lamar	4	5.5	13	4	7	44	-	7	-	25	100
Lowndes	5	5.4	46	52	-	-	-	2	-	-	100
Macon	5	12.4	41	43	-	12	1	-	-	3	100
Marengo	5	7.2	7	35	1	54	-	3	-	-	100
Montgomery	5	7.9	42	48	1	6	1	2	-	-	100
Perry	5	6.3	12	6	12	65	2	-	-	3	100
Pickens	9	8.7	1	2	10	83	-	-	-	4	100
Randolph	4	2.6	7	39	-	40	7	7	-	-	100
Russell	5	7.8	6	63	-	30	1	-	-	-	100
Shelby	3	5.4	68	14	13	-	5	-	-	-	100
Sumter	4	4.1	29	29	21	11	1	-	9	-	100
Tuscaloosa	4	8.2	9	4	33	42	8	-	-	4	100
All Other	17	17.4	30	29	1	29	4	1	4	2	100
Total	121	172.7	26	30	5	29	5	4	1	0	100

			Auburn 56	Coker 100	Delta- pine	Dixie King	Empire	Plains	Wannamaker All-in-one	Other 1/	Total
District 3											
Barbour	4	6.6	9	72	-	-	13	6	-	-	100
Bullock	3	3.3	2	97	-	-	-	-	-	1	100
Butler	3	4.4	18	54	3	11	1	3	9	1	100
Coffee	3	5.4	20	41	7	3	11	10	8	-	100
Conecuh	4	4.6	26	57	-	9	2	5	1	-	100
Covington	4	8.1	19	55	-	11	-	3	5	7	100
Crenshaw	4	5.1	28	58	1	-	5	7	1	-	100
Dale	3	3.5	13	84	-	1	-	2	-	-	100
Escambia	3	8.6	2	89	1	-	2	3	1	2	100
Geneva	9	17.2	30	47	1	1	2	9	10	-	100
Henry	5	9.0	20	43	3	15	1	17	1	-	100
Houston	8	15.2	26	42	-	15	1	8	2	6	100
Monroe	7	11.7	12	76	-	5	-	7	-	-	100
Pike	6	6.2	56	21	-	19	2	2	-	-	100
Wilcox	5	5.1	24	58	2	13	-	3	-	-	100
All Other	1	10.7	8	78	5	1	-	8	-	-	100
Total	72	124.7	21	58	1	7	2	7	3	1	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.




Table 10. Mississippi: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1958-62.

District and State	Ginnings	Ooker 100	Delfos	Delts-pine	DPL Smooth Leaf	Dixie King	Fox	Rex	Stone-ville	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
1958	615	6	5	79	•	1	5	-	2	2	100
1959	1,016	3	9	70	3	3	5	-	3	4	100
1960	959	2	6	34	31	1	11	2	8	5	100
1961	1,062	1	3	20	62	1	5	1	4	3	100
1962	-	1	3	12	65	1	4	2	8	4	100
District 2											
1958	223	5	2	78	•	•	•	-	8	7	100
1959	335	•	-	74	1	3	2	1	8	11	100
1960	359	1	1	68	4	5	1	8	7	5	100
1961	382	2	•	36	26	8	2	10	10	6	100
1962	-	2	1	14	40	12	1	12	12	6	100
District 3											
1958	82	15	•	76	-	•	1	-	2	6	100
1959	141	13	-	75	-	•	•	-	4	8	100
1960	148	12	-	69	3	1	1	2	6	6	100
1961	119	12	-	37	30	2	•	4	8	7	100
1962	-	10	-	23	42	3	-	4	9	9	100
District 4											
1958	35	13	•	74	-	-	1	-	4	8	100
1959	60	15	-	71	-	-	1	-	2	11	100
1960	62	19	-	61	•	1	•	2	3	14	100
1961	48	19	-	43	17	3	1	1	1	15	100
1962	-	23	-	32	25	4	-	1	3	12	100
State											
1958	955	5	3	79	•	1	3	-	2	7	100
1959	1,552	2	6	71	2	3	4	1	4	7	100
1960	1,528	3	4	46	21	2	7	3	7	7	100
1961	1,611	3	2	27	49	3	3	3	5	5	100
1962	-	3	2	14	56	4	3	4	9	5	100

• Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 11. Mississippi: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1962.

District and County	Gins	1961 Ginnings	Coker 100	Delfos	Delta-pine	DPL Smooth Leaf	Fox	Rex	Stone-ville	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
Bolivar	52	163.1	-	-	11	78	5	2	0	4	100
Coahoma	43	127.6	-	-	4	75	-	2	12	7	100
Holmes	19	52.2	2	1	7	78	1	-	8	3	100
Humphreys	16	58.8	-	28	-	62	-	-	10	-	100
Issaquena	3	10.3	-	-	-	65	28	-	2	5	100
Leflore	29	98.1	6	-	18	51	1	-	23	1	100
Quitman	22	71.0	-	-	6	41	18	9	20	6	100
Sharkey	15	37.7	3	3	-	83	3	-	6	2	100
Sunflower	39	153.2	-	-	36	52	1	1	2	8	100
Tallahatchie	24	64.4	-	2	14	62	8	2	6	6	100
Tunica	20	52.8	-	-	2	81	-	1	-	16	100
Washington	41	112.6	-	-	-	77	6	-	14	3	100
Yazoo	13	54.8	6	23	12	50	-	-	8	1	100
All Other	2	4.0	-	-	30	40	-	-	30	-	100
Total	338	1,060.6	1	3	12	65	4	2	8	5	100
			Coker 100	Delta-pine	DPL Smooth Leaf	Dixie King	Empire	Rex	Stone-ville	Other 1/	Total
District 2											
Alcorn	5	12.9	-	13	7	59	6	7	2	6	100
Benton	5	12.1	-	8	43	6	8	2	32	1	100
Calhoun	8	14.7	1	1	35	4	-	8	46	5	100
Chickasaw	8	19.3	1	12	22	10	1	10	40	4	100
De Soto	15	32.4	5	8	51	2	9	21	3	1	100
Grenada	5	12.8	-	8	63	4	-	-	21	4	100
Itawamba	5	7.0	1	14	36	17	3	15	14	0	100
Lafayette	4	11.6	0	23	51	-	-	12	12	2	100
Lee	12	24.3	-	11	44	15	-	24	3	3	100
Marshall	16	36.4	1	6	66	2	2	7	6	10	100
Monroe	12	24.3	-	11	68	6	-	3	1	11	100
Panola	19	55.2	3	21	41	-	1	10	20	4	100
Pontotoc	8	20.4	-	9	14	33	-	32	4	8	100
Prentiss	9	17.2	4	8	25	56	0	2	1	4	100
Tate	8	31.9	2	36	37	2	1	3	15	4	100
Tippah	8	20.0	2	17	22	31	4	22	1	1	100
Tishomingo	4	6.7	-	45	12	23	4	5	6	5	100
Union	6	11.3	1	-	28	25	1	38	4	3	100
Yalobusha	3	11.7	-	-	67	1	-	10	14	8	100
Total	160	382.2	2	14	40	12	2	12	12	6	100
			Auburn 56	Coker 100	Delta-pine	DPL Smooth Leaf	Empire	Rex	Stone-ville	Other 1/	Total
District 3											
Attala	6	7.7	8	8	43	26	5	5	3	2	100
Carroll	5	12.5	-	10	11	74	-	-	-	5	100
Clay	5	5.6	1	-	5	83	4	-	6	1	100
Hinds	8	11.5	5	4	54	34	-	-	3	-	100
Kemper	3	1.6	9	10	19	56	1	5	-	-	100
Lauderdale	3	1.1	4	50	37	-	9	-	-	-	100
Leake	5	7.6	4	42	9	37	4	3	-	1	100
Lowndes	7	9.8	4	2	7	66	-	5	-	16	100
Madison	12	17.7	3	7	18	25	5	4	37	1	100
Montgomery	5	7.9	-	2	14	73	1	1	7	2	100
Noxubee	5	6.6	3	-	25	56	-	4	2	10	100
Scott	5	3.2	22	7	50	-	12	-	-	9	100
Webster	5	7.3	6	-	13	66	1	-	11	3	100
Winston	4	7.6	-	27	32	19	8	2	2	10	100
All Other	6	11.7	2	14	27	14	5	22	14	2	100
Total	84	119.4	4	10	23	42	3	4	9	5	100
			Auburn 56	Coker 100	Delta-pine	DPL Smooth Leaf	Dixie King	Empire	Stone-ville	Other 1/	Total
District 4											
Amite	5	1.8	12	1	54	23	-	3	7	-	100
Copiah	5	3.2	5	4	14	44	-	7	26	-	100
Covington	4	3.5	4	35	30	21	-	7	-	3	100
Jasper	3	2.2	-	41	37	-	4	18	-	-	100
Jefferson Davis	5	8.5	2	23	34	32	-	5	-	4	100
Lawrence	3	2.2	9	10	4	76	-	1	-	-	100
Marion	4	4.5	9	22	21	28	4	10	4	2	100
Simpson	4	2.5	7	23	35	18	-	14	3	-	100
Walthall	4	3.9	9	8	21	43	1	9	1	8	100
All Other	17	16.1	1	29	40	9	11	5	3	2	100
Total	54	48.4	4	23	32	25	4	7	3	2	100

0 Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.




Table 12. Tennessee: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1958-62.

District and State	Ginnings	Delta-pine	DPL Smooth Leaf	Dixie King	Empire	Fox	Rex	Stone-ville	Other ^{1/}	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1										
1958	390	67	-	*	19	4	-	4	6	100
1959	598	64	3	-	20	3	1	3	6	100
1960	532	35	22	2	17	6	8	4	6	100
1961	524	18	39	9	15	4	9	2	4	100
1962	-	10	33	28	13	3	7	3	3	100
District 2										
1958	21	26	-	-	57	3	-	-	14	100
1959	44	20	-	-	67	1	-	1	11	100
1960	39	25	3	2	43	4	8	4	11	100
1961	26	2	10	-	73	*	-	-	15	100
1962	-	*	5	20	59	2	7	-	7	100
State										
1958	411	63	-	*	22	4	-	4	7	100
1959	642	62	2	-	23	3	1	3	6	100
1960	571	35	21	2	19	6	8	4	5	100
1961	550	17	37	8	19	4	9	2	4	100
1962	-	10	31	28	15	3	7	3	3	100

* Less than 0.5 percent.

^{1/} Includes small acreages planted to varieties other than those specified.

Table 13. Tennessee: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1962.

District and County	Gins	1961 Ginnings	Delta-pine	DPL Smooth Leaf	Dixie King	Empire	Fox	Rex	Stone-ville	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
Carroll	13	22.4	4	14	42	36	-	1	-	3	100
Chester	6	12.3	28	20	35	2	*	15	-	-	100
Crockett	12	39.0	11	32	41	9	1	*	1	5	100
Dyer	17	34.6	3	30	21	7	5	9	13	12	100
Fayette	16	36.8	10	35	28	5	2	6	12	2	100
Gibson	20	57.1	5	14	36	40	*	1	*	4	100
Hardeman	11	24.2	2	58	13	13	-	13	1	*	100
Hardin	5	5.1	47	5	26	5	5	11	-	1	100
Haywood	19	46.3	10	46	30	6	*	2	*	6	100
Henderson	10	17.1	18	3	45	2	-	30	-	2	100
Henry	3	3.2	1	18	22	37	7	-	7	8	100
Lake	10	24.9	2	84	3	-	9	1	-	1	100
Lauderdale	19	41.0	20	19	33	8	3	13	2	2	100
McNairy	14	16.8	21	26	38	1	7	4	*	3	100
Madison	19	35.2	16	44	19	13	4	2	-	2	100
Obion	7	11.3	5	28	45	11	-	3	6	2	100
Shelby	20	37.4	2	50	15	9	6	14	1	3	100
Tipton	19	50.0	12	35	21	5	8	13	*	6	100
Weakley	5	7.5	5	4	36	52	-	-	-	3	100
All Other	2	2.4	5	16	41	26	-	12	-	-	100
Total	247	524.6	10	33	28	13	3	7	3	3	100

Cobalt	DPL Smooth Leaf	Dixie King	Empire	Fox	Pope	Rex	Other 1/	Total
-	8	3	82	6	-	-	1	100
6	-	25	66	-	-	•	3	100
-	1	23	54	-	-	21	1	100
-	49	15	1	5	27	3	-	100
-	9	13	59	4	8	5	2	100
3	5	20	59	2	2.	7	2	100

Table 14. Missouri: Estimated percentage of cotton acreage planted to specified varieties, 1958-62.


Year	Ginnings	Auburn 56	Delfos	Delta-pine	DPL Smooth Leaf	Dixie King	Fox	Rex	Stone-ville	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1958	285	1	36	30	-	*	22	*	8	3	100
1959	514	5	35	26	2	-	18	4	7	3	100
1960	481	4	25	16	9	*	26	13	6	1	100
1961	386	3	20	7	12	*	23	28	6	1	100
1962	-	4	14	2	15	2	15	36	9	3	100

Table 15. Missouri: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1962.

County	Gins	1961 Ginnings	Auburn 56	Delfos	Delta-pine	DPL Smooth Leaf	Fox	Rex	Stone-ville	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Butler	9	17.2	-	11	2	11	2	24	49	1	100
Dunkin	35	89.1	13	16	2	8	6	37	12	6	100
Mississippi	14	27.6	3	-	-	7	25	62	1	2	100
New Madrid	40	104.4	1	27	1	13	22	19	9	8	100
Pemiscot	33	104.0	-	7	6	17	11	49	5	5	100
Scott	10	16.1	6	-	-	32	41	16	4	1	100
Stoddard	12	26.6	6	5	-	33	14	33	8	1	100
All Other	1	1.3	-	3	-	1	-	83	1	12	100
Total	154	386.3	4	14	2	15	15	36	9	5	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.



U.S. DEPARTMENT OF AGRICULTURE

Table 16. Arkansas: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1958-62.

District and State	Ginnings	Delfos	Delta-pine	DPL Smooth Leaf	Dixie King	Empire	Fox	Rox	Stoneville	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
1958	17	4	58	-	-	11	0	1	0	26	100
1959	33	-	52	-	-	6	5	18	0	19	100
1960	32	-	52	3	-	5	1	31	-	8	100
1961	28	0	30	21	-	2	2	40	0	5	100
1962	-	3	25	15	0	1	1	49	0	6	100
District 2											
1958	515	16	60	-	0	6	5	6	4	3	100
1959	911	22	53	0	-	4	4	13	2	2	100
1960	788	18	29	10	0	3	5	31	2	2	100
1961	831	13	12	21	1	2	4	45	1	1	100
1962	-	11	4	16	3	2	2	53	7	2	100
District 3											
1958	49	3	85	-	-	1	1	0	3	7	100
1959	89	5	61	2	-	2	-	8	14	8	100
1960	79	4	51	12	1	2	0	15	9	6	100
1961	89	2	19	41	0	3	0	18	8	9	100
1962	-	4	7	45	0	2	-	20	16	6	100
District 4											
1958	343	25	66	-	-	0	1	2	3	3	100
1959	501	43	42	0	-	1	1	8	2	3	100
1960	447	26	40	11	-	0	3	13	2	5	100
1961	512	29	22	28	-	0	3	13	1	4	100
1962	-	29	9	39	0	0	1	12	5	5	100
State											
1958	924	18	63	-	0	4	3	4	3	5	100
1959	1,534	28	50	0	-	3	3	11	3	2	100
1960	1,346	19	34	11	0	2	4	24	2	4	100
1961	1,460	18	16	24	1	2	3	32	2	2	100
1962	-	17	6	26	2	1	1	36	7	4	100

* Less than 0.5 percent.

1/ Includes small acreage planted to varieties other than those specified.

Table 17. Arkansas: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1962.

District and County	Gins	1961 Ginnings	Delfos	Delta-pine	DPL Smooth Leaf	Fox	Hibred and Half & Half	Rex	Other 1/	Total
	<u>Number</u>	<u>1,000 bales</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
District 1										
Faulkner	3	5.0	15	23	26	4	6	21	5	100
White	7	9.3	-	-	14	-	2	80	4	100
Yell	3	7.3	-	49	14	-	-	34	3	100
All Other	8	6.1	3	36	8	-	2	41	10	100
Total	21	27.7	3	25	15	1	2	49	5	100
District 2										
			Delfos	Delta-pine	DPL Smooth Leaf	Dixie King	Rex	Stone-ville	Other 1/	Total
Clay	22	41.7	23	1	9	1	43	7	16	100
Craighead	31	100.4	29	1	12	1	41	12	4	100
Crittenden	43	97.2	-	2	14	-	69	5	10	100
Cross	19	39.6	13	5	11	-	66	1	4	100
Greene	17	38.9	14	-	14	-	46	12	14	100
Jackson	18	55.9	-	2	19	25	47	-	7	100
Lawrence	9	21.3	3	1	7	-	65	6	18	100
Mississippi	63	202.8	7	2	7	-	69	10	5	100
Poinsett	26	104.8	15	6	31	1	44	1	2	100
Randolph	7	12.2	-	32	-	16	50	-	2	100
St. Francis	28	74.6	13	16	17	3	41	7	3	100
Woodruff	12	42.1	-	14	48	-	34	-	4	100
Total	295	831.5	11	4	16	3	53	7	6	100
District 3										
			Delfos	Delta-pine	DPL Smooth Leaf	Empire	Rex	Stone-ville	Other 1/	Total
Ashley	10	33.6	4	1	45	-	11	35	4	100
Columbia	4	3.1	-	-	5	7	85	-	3	100
Drew	5	11.5	19	4	47	-	9	13	8	100
Hempstead	6	3.6	-	-	40	-	51	-	9	100
Lafayette	4	13.4	-	12	70	-	13	-	5	100
Miller	4	5.6	-	22	68	-	5	-	5	100
All Other	14	18.3	-	12	28	8	38	3	11	100
Total	47	89.1	4	7	45	2	20	16	6	100
District 4										
			Delfos	Delta-pine	DPL Smooth Leaf	Fox	Rex	Stone-ville	Other 1/	Total
Arkansas	6	9.9	5	22	23	2	40	2	6	100
Chicot	11	34.9	7	8	69	4	2	4	6	100
Desha	15	50.6	72	2	19	-	1	2	4	100
Jefferson	32	83.0	30	11	43	2	4	-	10	100
Lee	18	62.9	7	11	24	-	35	23	-	100
Lincoln	10	36.7	10	18	50	-	2	-	20	100
Lonoke	21	71.8	95	-	1	-	1	2	1	100
Monroe	13	45.1	1	5	72	-	13	-	9	100
Phillips	40	97.6	1	12	63	1	16	3	4	100
Prairie	3	8.5	3	29	29	-	32	-	7	100
Pulaski	10	10.9	37	-	2	-	39	11	11	100
Total	179	511.9	29	9	39	1	12	5	5	100

1/ Includes small acreages planted to varieties other than those specified.



U.S. DEPARTMENT OF AGRICULTURE

Table 18. Louisiana: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1958-62.

District and State	Ginnings 1,000 bales	Auburn 56 Percent	Delta- pine Percent	DPL Smooth Leaf Percent	Fox Percent	Stardel Percent	Stone- ville Percent	Other 1/ Percent	Total Percent
District 1									
1958	72	2	95	-	-	2	-	1	100
1959	133	1	92	-	1	3	-	3	100
1960	126	2	84	5	•	3	•	6	100
1961	105	5	50	35	3	5	1	1	100
1962	-	5	29	57	2	2	•	•	100
District 2									
1958	3	-	87	-	-	1	-	12	100
1959	3	-	80	-	-	-	-	20	100
1960	2	4	58	-	-	-	-	38	100
1961	1	39	21	-	-	-	-	40	100
1962	-	26	28	-	-	-	1	45	100
District 3									
1958	153	-	92	-	1	1	2	4	100
1959	260	-	91	-	2	-	1	6	100
1960	269	-	82	11	2	-	2	3	100
1961	276	•	43	46	-	-	5	6	100
1962	-	1	21	64	4	•	9	1	100
District 4									
1958	65	-	87	-	-	•	11	2	100
1959	91	1	89	-	•	•	10	-	100
1960	99	-	90	•	1	•	7	2	100
1961	93	-	29	60	•	1	9	1	100
1962	-	•	21	65	•	-	13	1	100
State									
1958	293	•	92	-	1	1	3	3	100
1959	487	-	90	-	1	1	3	5	100
1960	496	•	84	7	1	1	2	5	100
1961	475	2	41	45	3	2	5	2	100
1962	-	2	23	61	3	1	9	1	100

• Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 19. Louisiana: Estimated percentage of cotton acreage planted to specified varieties, by parishes and districts, crop of 1962.

District and Parish	Gins	1961 Ginnings	Auburn 56	Delta-pine	DPL Smooth Leaf	Fox	Stardel	Stone-ville	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1										
Bossier	9	16.0	2	26	56	2	8	3	3	100
Caddo	12	32.7	3	45	51	1	-	-	-	100
Natchitoches	10	19.0	7	23	67	-	-	2	1	100
Rapides	12	24.5	8	19	53	5	-	15	-	100
Red River	5	8.1	1	23	64	2	7	-	3	100
All Other	4	5.1	-	-	100	-	-	-	-	100
Total	52	105.4	5	29	57	2	2	5	*	100
District 2										
			Auburn 56	Coker 100	Delta-pine	Rex	Stone-ville	Other 1/	----	Total
Total	4	.8	26	9	28	36	1	*	-	100
District 3										
			Auburn 56	Coker 100	Delta-pine	DPL Smooth Leaf	Fox	Stone-ville	Other 1/	Total
Catahoula	4	6.9	-	-	71	13	-	14	2	100
Concordia	6	9.2	1	-	24	35	-	40	-	100
East Carroll	10	36.4	3	-	-	79	4	12	2	100
Franklin	17	46.5	-	-	16	65	-	18	1	100
Madison	7	15.7	2	-	32	60	4	2	-	100
Morehouse	11	39.7	1	-	8	82	6	2	1	100
Ouachita	5	17.2	1	-	6	90	1	2	-	100
Richland	17	48.9	1	1	35	56	-	7	-	100
Tensas	7	18.8	5	4	42	38	5	4	2	100
West Carroll	11	28.1	1	-	24	59	9	3	4	100
All Other	2	8.8	2	-	15	55	25	1	2	100
Total	97	276.2	1	1	21	64	4	9	-	100
District 4										
			Coker 100	Delta-pine	DPL Smooth Leaf	Fox	Stone-ville	Other 1/	----	Total
Acadia	4	7.4	-	40	58	-	1	1	-	100
Avoyelles	12	19.8	-	26	67	1	5	1	-	100
Evangeline	12	14.1	-	1	96	-	2	1	-	100
Lafayette	8	8.1	-	12	85	-	3	-	-	100
Pointe Coupee	5	4.0	-	-	69	-	31	-	-	100
St. Landry	25	31.8	-	24	51	-	24	1	-	100
St. Martin	3	2.5	-	14	39	1	43	3	-	100
All Other	6	5.3	3	49	38	-	10	-	-	100
Total	75	93.0	*	21	65	*	13	1	-	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.




Table 20. Oklahoma: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1958-62.

District and State	Ginnings	Delta-pine	DPL Smooth Leaf	Oregg	Lankart	Northern Star	Parrot	Stoneville	Western Storm-proof	Other ^{1/}	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
1958	250	-	-	-	59	13	7	1	10	10	100
1959	295	*	-	1	54	10	8	*	16	11	100
1960	363	1	-	-	48	21	7	*	16	7	100
1961	296	1	-	2	61	13	7	1	5	10	100
1962	-	-	2	3	60	16	4	*	3	12	100
District 2											
1958	22	40	-	-	13	5	2	37	-	3	100
1959	38	34	-	-	6	3	8	42	*	7	100
1960	37	27	-	-	11	8	12	37	*	5	100
1961	26	28	-	-	15	4	11	38	*	4	100
1962	-	6	21	-	21	3	9	33	1	6	100
District 3											
1958	36	22	-	-	36	3	9	16	*	14	100
1959	46	17	-	-	35	2	13	15	2	16	100
1960	54	14	-	-	33	7	21	6	-	19	100
1961	44	11	-	1	43	5	16	12	*	12	100
1962	-	13	1	3	35	6	17	9	-	16	100
State											
1958	308	5	-	-	53	11	7	5	8	11	100
1959	379	5	-	1	48	8	9	5	13	11	100
1960	454	5	-	-	42	18	9	5	12	9	100
1961	366	5	-	2	54	12	9	6	4	8	100
1962	-	2	3	3	52	14	6	4	3	13	100

* Less than 0.5 percent.

^{1/} Includes small acreages planted to varieties other than those specified.

Table 21. Oklahoma: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1962.

District and County	Gins	1961 Ginnings	Austin	Gregg	Lankart	Northern Star	Parrot	Pay-master	Western Storm-proof	Other <u>1/</u>	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
Beckham	12	23.4	-	6	46	5	7	-	25	11	100
Blaine	5	3.7	-	-	46	28	12	-	8	6	100
Caddo	16	26.8	-	-	63	12	16	-	-	9	100
Comanche	3	2.5	-	-	23	36	36	-	-	5	100
Cotton	3	4.7	-	1	51	5	30	-	-	13	100
Custer	4	7.0	-	-	93	1	-	-	3	3	100
Greer	7	22.8	-	-	73	10	3	-	-	14	100
Harmon	8	27.7	-	17	38	36	-	1	-	8	100
Jackson	15	58.7	14	-	29	36	-	7	3	11	100
Kiowa	9	33.1	3	-	84	9	-	1	-	3	100
Roger Mills	3	5.0	-	12	17	8	4	11	32	16	100
Tillman	13	48.0	2	-	73	5	6	8	-	6	100
Washita	11	30.8	-	5	85	2	-	-	-	8	100
All Other	1	2.9	-	-	93	-	-	-	3	4	100
Total	110	297.1	3	3	60	16	4	3	3	8	100

Delta-pine	DPL Smooth Leaf	Lankart	Northern Star	Parrot	Stoneville	Watson	Other <u>1/</u>	Total
------------	-----------------	---------	---------------	--------	------------	--------	-----------------	-------

District 2

Canadian	5	4.7	-	-	72	2	10	8	-	8	100
Logan	3	1.3	5	-	67	-	-	23	-	5	100
Muskogee	7	8.4	10	42	1	1	2	37	-	7	100
Wagoner	3	2.1	5	70	2	-	-	19	-	4	100
All Other	13	9.2	5	5	13	6	16	45	4	6	100
Total	31	25.7	6	21	21	3	9	33	2	5	100

Delta-pine	Gregg	Lankart	Lockett	Northern Star	Parrot	Stoneville	Other <u>1/</u>	Total
------------	-------	---------	---------	---------------	--------	------------	-----------------	-------

District 3

Bryan	4	7.0	4	-	18	26	-	49	-	3	100
Grady	8	9.5	-	-	93	-	-	2	1	4	100
Jefferson	4	6.8	-	14	20	11	18	20	8	9	100
All Other	11	20.3	26	1	22	9	6	12	15	9	100
Total	27	43.6	13	3	35	10	6	17	9	7	100

1/ Includes small acreages planted to varieties other than those specified.

Table 22. Texas: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1958-62.

District and State	Ginnings	Acala	American Egyptian	Blight Master	Delfos	Delta-pine	Gregg	Lankart	Lockett	Northern Star	Pay-master	Qualla	Rex	Stone-ville	TPSA	Western Storm-proof	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1																		
1958	1,999	4	-	1	-	1	2	51	2	9	9	0	-	-	-	5	16	100
1959	1,897	6	-	3	-	1	10	50	0	2	12	1	-	-	-	4	11	100
1960	1,956	5	-	1	-	-	18	51	1	3	5	-	2	-	-	5	9	100
1961	2,378	3	-	2	-	0	20	42	1	3	5	1	2	-	6	8	7	100
1962	-	2	-	2	-	-	34	30	2	1	10	2	1	-	4	7	5	100
District 2																		
1958	536	2	-	-	-	2	0	28	4	17	2	0	-	-	-	31	14	100
1959	599	3	-	1	-	2	1	28	4	10	2	0	-	-	-	40	9	100
1960	722	1	-	0	0	1	4	28	5	13	1	1	0	-	-	36	10	100
1961	809	2	-	0	-	1	7	24	5	14	2	2	0	-	-	34	8	100
1962	-	1	-	1	-	0	8	27	7	12	5	1	-	-	4	29	5	100
District 3																		
1958	11	-	-	0	-	-	-	46	15	7	-	4	-	-	-	-	28	100
1959	12	0	-	1	-	0	-	40	12	2	-	0	-	-	-	14	31	100
1960	16	-	-	-	-	-	-	52	11	3	-	0	-	-	-	21	13	100
1961	16	-	-	-	-	-	-	42	12	1	1	0	-	-	-	30	14	100
1962	-	-	-	-	-	-	-	42	7	6	3	-	-	-	-	32	10	100
District 4																		
1958	418	1	-	1	-	3	-	56	0	17	-	6	-	0	-	1	15	100
1959	473	0	-	0	-	2	-	64	0	13	0	8	0	-	-	0	13	100
1960	446	0	-	0	-	3	-	67	2	12	-	4	2	-	-	0	10	100
1961	403	-	-	0	-	3	0	70	0	8	0	2	2	-	2	0	13	100
1962	-	-	-	1	-	1	1	74	1	5	0	1	5	0	2	0	9	100
District 5																		
1958	96	1	-	2	-	46	-	11	-	3	-	5	-	0	-	-	32	100
1959	124	1	-	1	-	63	-	8	-	2	0	8	1	0	-	-	16	100
1960	119	0	-	0	-	61	-	14	-	5	-	4	3	0	-	-	13	100
1961	99	1	-	-	-	65	-	13	0	6	0	4	2	-	0	-	9	100
1962	-	-	-	-	-	67	-	11	1	4	-	1	5	0	-	-	7	100
District 6																		
1958	301	85	10	-	-	1	-	-	-	-	0	-	-	1	-	-	3	100
1959	291	87	11	-	-	0	-	-	-	-	-	-	-	0	-	-	2	100
1960	272	87	11	-	-	1	-	-	-	-	-	-	-	0	-	-	1	100
1961	309	67	9	-	0	15	0	2	1	0	0	-	0	1	-	0	5	100
1962	61	61	13	-	0	3	-	7	-	1	0	-	0	11	-	-	4	100
District 7																		
1958	29	10	-	-	-	-	-	49	-	3	-	4	-	-	-	24	10	100
1959	50	8	-	-	-	0	-	34	-	0	-	3	-	-	-	39	16	100
1960	54	5	-	-	-	-	-	29	-	0	-	6	-	-	-	52	8	100
1961	59	3	-	-	-	-	-	51	-	-	-	3	-	-	-	39	4	100
1962	-	-	-	-	-	0	1	41	-	-	1	6	-	-	6	44	1	100
District 8																		
1958	265	-	-	0	18	16	-	28	-	8	0	7	-	3	-	-	20	100
1959	303	0	-	1	20	14	-	28	-	8	-	4	0	3	-	-	22	100
1960	264	0	-	1	12	15	-	30	-	8	0	6	-	8	1	-	19	100
1961	246	-	-	-	15	12	-	28	-	3	-	2	1	18	1	-	20	100
1962	-	-	-	-	16	14	-	27	-	4	-	1	1	20	3	-	14	100
District 9																		
1958	151	1	-	-	0	77	-	4	-	1	-	-	-	2	-	-	15	100
1959	151	2	-	-	1	82	-	5	-	1	-	0	0	1	-	-	8	100
1960	105	0	-	-	1	80	-	8	-	2	-	-	0	2	-	-	7	100
1961	100	-	-	-	-	76	-	4	-	2	-	-	3	5	1	-	9	100
1962	-	-	-	-	-	45	-	5	-	1	-	-	7	24	5	-	13	100
District 10																		
1958	437	5	-	-	7	53	-	2	-	1	0	1	-	17	-	-	14	100
1959	503	4	-	-	9	35	-	1	-	3	1	0	8	25	-	-	14	100
1960	391	2	-	-	7	42	-	1	-	1	0	1	1	32	-	-	13	100
1961	360	-	-	-	3	43	-	1	-	1	-	0	0	42	-	-	10	100
1962	-	-	-	-	2	33	-	2	-	2	-	-	-	53	0	-	8	100
State																		
1958	4,243	9	1	1	2	12	1	36	2	9	4	2	-	2	-	6	13	100
1959	4,403	9	1	2	2	11	5	35	1	4	5	2	1	3	-	8	11	100
1960	4,345	8	1	1	2	11	8	36	1	5	2	1	1	4	0	7	12	100
1961	4,801	6	1	1	1	10	10	33	1	5	3	1	2	5	3	10	8	100
1962	-	5	1	1	1	6	19	31	2	3	6	1	1	7	3	9	4	100

0. Less than 0.5 percent.
1/ Includes small acreages planted to varieties other than those specified.

Table 23. Texas: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1962 - continued.

District and County	Gins	1961 Cottonings	DPL Smooth Leaf	Delta-pine	Hybrid and Half & Half	Lankart	Lockett	Northern Star	Qualla	Rex	Stoneville	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 5													
Brascoe	8	21.2	56	32	-	-	-	-	-	-	7	5	100
Orimes	6	7.7	70	-	-	-	-	-	-	8	10	12	100
Harrison	3	.5	68	26	-	-	-	-	-	2	-	4	100
Hopkins	4	3.3	-	-	-	89	-	4	2	2	-	3	100
Houston	5	5.1	54	25	-	-	-	-	-	4	5	12	100
Red River	4	6.7	-	-	-	40	6	5	8	39	-	2	100
Robertson	8	31.9	50	36	-	-	-	-	-	-	5	9	100
All Other	29	22.6	25	23	3	22	1	13	2	5	1	5	100
Total	67	99.0	42	25	1	11	1	4	1	5	4	6	100
			Acala 1517BR	Acala 1517C	Acala 1517D	Del Cerro	DPL Smooth Leaf	Lankart	Pima S-1	Pima S-2	Stoneville	Other 1/	Total
District 6													
El Paso	22	94.0	-	46	22	*	-	-	11	19	-	2	100
Hudspeth	7	29.9	-	28	59	1	1	-	4	4	1	2	100
Pecos	9	48.0	4	50	2	13	1	17	-	-	7	6	100
Reeves	20	119.7	2	38	7	1	7	11	-	5	27	2	100
All Other	5	16.9	12	43	20	*	4	8	-	-	6	7	100
Total	63	308.5	2	41	17	3	3	7	4	9	11	3	100
			Oregg	Lankart	Paymaster	Qualla	TPSA	Western Stormproof	Other 1/	----	----	----	Total
District 7													
McCulloch	6	5.6	4	1	-	-	-	90	5	-	-	-	100
Tom Green	7	35.4	-	60	-	6	6	28	-	-	-	-	100
All Other	5	17.7	3	17	3	9	6	60	2	-	-	-	100
Total	18	58.7	1	41	1	6	6	44	1	-	-	-	100
			Anton	Delfos	Delta-pine	DPL Smooth Leaf	Lankart	Northern Star	Stoneville	Storm King	TPSA	Other 1/	Total
District 8													
Austin	13	5.4	2	-	24	14	11	-	18	-	-	31	100
Bastrop	3	1.8	42	-	6	4	35	-	-	-	-	13	100
Bee	4	5.1	2	-	-	-	66	6	-	18	-	8	100
Burleson	7	23.8	-	-	36	45	1	-	7	-	-	11	100
Caldwell	5	4.2	45	-	2	-	8	-	-	-	20	25	100
Colorado	3	3.9	36	-	-	12	16	-	24	-	-	12	100
De Witt	3	1.8	-	-	-	-	67	13	-	-	-	20	100
Fayette	9	5.2	14	-	5	3	37	-	-	-	-	41	100
Quadrulpe	3	2.6	-	-	-	-	56	-	-	-	-	44	100
Hays	4	1.6	3	-	-	-	46	-	-	3	9	39	100
Karnes	5	5.7	25	-	-	-	56	-	-	5	12	2	100
Lavaca	10	7.7	12	-	2	-	63	1	1	8	-	13	100
Lee	3	1.7	17	-	-	-	52	-	-	-	-	31	100
Nueces	29	90.3	-	42	-	2	3	4	39	-	4	6	100
Refugio	4	7.3	-	-	-	16	24	20	36	-	-	4	100
San Patricio	21	58.2	-	2	6	-	63	6	10	6	3	4	100
Travis	10	2.4	33	-	-	-	50	1	-	-	-	16	100
Washington	10	6.8	-	-	20	10	35	-	15	-	-	20	100
All Other	5	10.2	-	-	3	32	8	2	-	3	11	41	100
Total	151	245.7	4	16	6	8	27	4	20	2	3	10	100
			DeKalb	Delta-pine	DPL Smooth Leaf	Empire	Lankart	Northern Star	Rex	Stoneville	TPSA	Other 1/	Total
District 9													
Brasoria	5	5.2	11	52	18	-	-	-	-	11	-	8	100
Calhoun	5	9.5	-	37	20	-	-	-	30	8	-	5	100
Fort Bend	18	26.6	7	30	18	6	-	-	-	31	-	8	100
Jackson	6	5.8	-	67	3	-	-	-	16	12	-	2	100
Matagorda	7	6.5	-	40	35	-	-	-	-	18	4	3	100
Victoria	8	7.8	-	6	-	-	58	7	5	2	4	18	100
Wharton	21	34.9	1	22	16	-	-	-	7	34	11	9	100
All Other	1	3.4	-	50	-	-	-	-	-	25	-	25	100
Total	71	99.7	3	29	16	2	5	1	7	24	5	8	100
			Delfos	Delta-pine	DPL Smooth Leaf	Empire	Lankart	Northern Star	Qualla	Stoneville	Storm King	Other 1/	Total
District 10													
Cameron	39	115.9	4	25	-	5	1	1	-	59	1	4	100
Frio	3	6.8	-	16	72	-	5	-	-	-	-	7	100
Hidalgo	37	152.1	1	31	-	1	-	2	-	57	2	6	100
Jim Wells	4	9.1	4	-	-	-	37	15	8	26	-	10	100
Starr	3	6.4	-	16	-	-	4	8	5	48	-	19	100
Willacy	17	67.7	-	31	-	-	-	-	-	66	-	3	100
Zavala	4	14.7	-	14	79	-	-	-	-	2	-	5	100
All Other	8	7.3	-	12	53	-	19	6	-	-	3	7	100
Total	115	380.0	2	27	6	2	2	2	*	53	1	5	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 23. Taxes: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1962.

District and County	Gins	1961 Ginnings	Acala 1517BR	Blight Master	Gregg	Lankart	Lockett	Pay-master	Qualla	Rex	TPSA	Western Stormproof	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1														
Bailey	20	102.7	-	-	80	11	-	-	-	3	-	-	6	100
Briscoe	7	23.6	-	-	58	15	-	7	-	-	-	-	20	100
Castro	14	63.2	-	-	79	-	-	5	-	-	6	-	10	100
Cochran	14	74.1	-	-	80	8	4	-	-	-	2	-	6	100
Crosby	20	135.2	-	-	-	54	6	30	-	-	10	-	-	100
Dawson	25	208.8	1	2	12	33	3	10	12	1	-	23	3	100
Deaf Smith	3	12.6	-	-	95	-	-	-	-	-	-	-	5	100
Floyd	22	105.2	-	-	22	25	-	41	-	-	1	-	11	100
Gaines	13	67.9	6	22	44	8	-	-	4	3	-	9	6	100
Hels	35	198.2	-	-	47	22	1	22	-	1	2	-	5	100
Hockley	35	224.6	-	4	25	51	7	4	-	-	5	-	4	100
Howard	12	52.1	-	4	-	-	-	2	2	-	-	84	8	100
Lamb	35	213.8	-	-	64	8	-	14	-	2	1	-	11	100
Lubbock	42	279.6	-	-	6	75	-	4	2	1	8	-	4	100
Lynn	27	175.7	-	1	27	39	3	10	2	-	6	9	3	100
Martin	13	95.6	16	3	9	8	-	1	1	-	5	46	11	100
Midland	3	21.5	32	13	-	4	-	-	-	-	9	32	10	100
Parmer	15	60.0	-	-	88	1	-	3	-	-	-	-	8	100
Swisher	12	51.5	-	-	60	4	-	25	3	-	3	-	5	100
Terry	21	157.6	-	1	55	31	-	3	-	1	4	1	4	100
Yoakum	9	42.4	16	-	27	30	-	7	-	-	-	-	20	100
All Other	6	12.1	25	8	1	6	-	3	8	8	-	35	6	100
Total	403	2,378.0	2	2	34	30	2	10	2	1	4	7	6	100
District 2														
Baylor	3	14.7	8	-	-	33	-	-	-	-	-	59	-	100
Childress	5	31.7	-	-	-	36	7	6	2	2	-	38	9	100
Collingsworth	9	41.4	1	-	45	14	12	18	-	-	5	3	2	100
Cottis	6	26.0	-	-	3	44	4	39	-	-	-	1	9	100
Dickens	7	42.5	-	-	23	48	-	-	-	-	10	16	3	100
Donley	4	12.2	-	-	32	6	7	3	14	-	-	28	10	100
Fisher	9	47.8	-	-	-	6	-	-	-	2	-	85	7	100
Foard	4	8.6	-	-	-	46	20	30	-	-	-	-	4	100
Garza	6	26.0	0	-	1	42	-	6	-	-	6	44	1	100
Hell	14	75.1	-	-	22	2	29	11	16	-	-	16	4	100
Hardeman	6	21.0	4	-	4	46	13	21	-	-	2	-	10	100
Haskell	12	89.4	-	-	-	18	-	40	6	-	16	18	2	100
Jones	16	58.1	-	-	-	69	-	16	-	1	4	3	7	100
Knox	8	45.4	19	5	10	41	-	7	-	-	11	5	2	100
Mitchell	9	40.8	-	-	-	-	2	-	4	1	-	88	5	100
Motley	4	19.3	-	-	-	43	18	-	7	-	-	18	14	100
Nolan	6	21.7	-	-	-	13	-	-	11	2	-	66	8	100
Runnels	15	48.8	-	-	-	34	5	-	7	3	3	45	3	100
Scurry	9	46.7	-	5	-	-	-	-	8	2	-	79	6	100
Stonewall	3	6.0	-	-	-	95	-	-	-	-	-	-	5	100
Taylor	6	12.0	-	-	7	31	8	-	13	-	-	33	8	100
Wheeler	6	11.7	-	-	22	10	17	10	20	-	-	9	12	100
Wilbarger	10	34.1	-	-	12	39	20	20	-	-	5	2	2	100
All Other	6	27.6	-	-	1	44	4	9	1	3	2	30	6	100
Total	183	808.6	1	1	8	27	7	12	5	1	4	29	5	100
District 3														
Total	11	15.8	2	3	42	7	6	3	32	5	-	-	-	100
District 4														
Bell	16	10.7	1	-	80	-	4	-	-	-	-	-	15	100
Collin	21	40.9	-	-	88	2	3	-	-	1	2	-	4	100
Coryell	3	2.5	-	-	90	-	-	-	-	-	-	-	10	100
Dallas	3	5.1	-	-	99	-	1	-	-	-	-	-	-	100
Delta	7	17.9	-	-	49	-	3	-	17	2	20	-	9	100
Denton	4	3.6	-	-	77	9	9	-	-	-	-	-	5	100
Ellis	29	53.5	-	-	80	-	2	3	1	1	-	9	4	100
Fells	16	12.8	4	23	57	-	-	-	-	-	-	-	16	100
Fannin	15	24.0	-	1	75	-	15	-	3	-	-	1	5	100
Grayson	7	10.5	-	-	62	3	23	-	4	-	-	-	8	100
Hill	24	30.9	1	-	95	-	1	1	-	-	-	1	1	100
Hunt	16	28.6	-	-	78	-	5	-	-	11	2	2	2	100
Johnson	7	9.7	-	-	88	3	4	1	-	-	2	-	2	100
Kaufman	9	14.7	-	1	91	-	2	2	-	-	2	1	1	100
Lamar	12	21.4	-	-	15	4	13	-	68	-	-	-	-	100
Limestone	6	5.5	-	-	37	-	23	17	3	-	-	-	20	100
McLennan	18	20.2	-	-	88	-	3	2	-	-	-	-	7	100
Milam	11	13.7	15	11	63	-	1	-	-	-	-	-	10	100
Navarro	16	24.6	2	-	81	-	9	2	-	3	-	-	3	100
Rockwall	5	9.8	-	-	86	-	1	2	1	6	24	-	-	100
Tarrant	5	6.7	-	-	82	-	11	1	-	1	1	-	4	100
Williamson	31	29.9	15	-	81	-	1	-	-	5	-	-	18	100
All Other	6	7.8	-	-	81	4	6	1	-	-	-	-	8	100
Total	287	405.0	2	1	74	1	5	1	5	2	2	2	5	100

Table 24. Other Southeastern and South Central States: Estimated percentage of cotton acreage planted to specified varieties, by states, 1958-62.

State and Year	Ginnings	Auburn 56	Coker 100	Delta-pine	DPL Smooth Leaf	Empire	Fox	Plains	Rex	Wannamaker All-in-one	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Virginia												
1958	8	-	97	1	-	2	-	-	-	-	-	100
1959	11	-	95	•	-	5	-	-	-	-	-	100
1960	9	-	87	-	-	13	-	-	-	-	-	100
1961	8	-	65	-	-	5	-	-	30	-	-	100
1962	-	-	50	-	-	-	-	-	49	-	1	100
Florida												
1958	6	-	55	2	-	14	-	13	-	12	4	100
1959	9	-	62	2	-	15	-	13	-	-	8	100
1960	11	4	39	2	-	17	-	23	-	-	15	100
1961	9	24	42	-	-	11	-	14	-	8	1	100
1962	-	17	45	1	-	13	-	11	-	5	8	100
Kentucky												
1958	4	-	-	83	-	-	17	-	-	-	-	100
1959	8	-	-	82	-	-	13	-	-	-	5	100
1960	6	-	-	46	28	-	14	-	8	-	4	100
1961	4	-	-	21	54	-	23	-	-	-	2	100
1962	-	-	-	26	47	-	12	-	10	-	5	100
Illinois												
1958	1	-	-	-	-	43	52	-	-	-	5	100
1959	1	-	-	-	-	38	62	-	-	-	-	100
1960	1	-	-	-	-	30	48	-	22	-	-	100
1961	••	-	-	-	-	7	77	-	16	-	-	100
1962	-	-	-	-	3	7	59	-	31	-	-	100

• Less than 0.5 percent.

•• Less than 500 bales.

1/ Includes small acreages planted to varieties other than those specified.

Table 25. Western Area: Estimated percentage of cotton acreage planted to specified varieties, by states, 1958-62.

State and Year	Ginnings	Acala 4-42	Acala 44	Acala 1517BR	Acala 1517C	Acala 1517D	Del Cerro	DPL Smooth Leaf	Lankart	Pima S-1	Pima S-2	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Arizona													
1958	737	7	80	-	5	-	-	-	-	6	-	2	100
1959	720	6	81	-	7	-	-	-	-	5	-	1	100
1960	849	13	50	-	9	-	-	1	-	4	-	23	100
1961	824	11	6	-	7	•	-	71	-	3	1	1	100
1962	-	2	4	-	2	4	•	79	-	•	5	4	100
California													
1958	1,624	94	1	-	-	-	-	-	-	-	-	5	100
1959	1,947	92	•	-	-	-	-	1	-	-	-	7	100
1960	1,964	93	1	-	•	-	•	6	-	-	-	•	100
1961	1,709	89	•	-	-	-	•	11	-	-	-	-	100
1962	-	89	-	-	-	-	-	11	-	-	-	•	100
Nevada													
1958	-	-	-	-	-	-	-	-	-	-	-	-	-
1959	-	-	-	-	-	-	-	-	-	-	-	-	-
1960	5	-	-	-	100	-	-	-	-	-	-	-	100
1961	6	-	-	-	100	-	-	-	-	-	-	-	100
1962	-	-	-	-	49	49	2	-	-	-	-	-	100
New Mexico													
1958	282	-	-	3	76	-	-	-	4	4	-	13	100
1959	303	-	-	13	73	-	-	-	4	3	-	7	100
1960	270	-	-	8	78	•	-	-	1	3	-	10	100
1961	277	-	•	3	73	9	2	•	1	3	•	9	100
1962	-	-	-	2	22	55	1	•	•	1	2	17	100
Texas - District 6													
1958	301	-	-	6	79	-	-	-	-	10	-	5	100
1959	291	•	•	11	75	-	-	-	-	11	-	3	100
1960	272	-	1	17	69	-	-	-	-	11	-	2	100
1961	309	•	-	3	59	5	2	15	2	9	•	5	100
1962	-	1	-	2	41	17	3	3	7	4	9	13	100

• Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 26. Western Area: Estimated percentage of cotton acreage planted to specified varieties, by states and counties, crop of 1962.


States and Counties	Gins	1961 Ginnings 1,000 bales	Acala 4-42	Acala 44	Acala 1517C	Acala 1517D	DPL Smooth Leaf	Pima S-2	Stoneville	Other 1/	----	----	Total
	Number		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Arizona													
Cochise	6	24.7	-	-	31	61	3	-	-	5	-	-	100
Graham	6	26.2	-	-	4	52	-	43	-	1	-	-	100
Maricopa	56	319.6	2	6	-	-	83	5	3	1	-	-	100
Pima	12	54.6	13	2	6	7	32	8	32	*	-	-	100
Pinal	50	326.8	2	1	-	-	92	2	3	*	-	-	100
Yuma	12	67.1	-	9	-	-	91	-	*	*	-	-	100
All Other	1	4.9	-	-	75	25	-	-	-	-	-	-	100
Total	143	823.9	2	4	2	4	79	5	4	*	-	-	100
California													
			Acala 4-42	Acala Strain A	DPL Smooth Leaf	Dixie King	Other 1/	----	----	----	----	----	Total
Fresno	74	421.0	100	-	-	-	-	-	-	-	-	-	100
Imperial	16	139.7	-	1	99	-	-	-	-	-	-	-	100
Kern	65	444.5	100	-	-	-	-	-	-	-	-	-	100
Kings	28	206.2	100	-	-	-	-	-	-	-	-	-	100
Madera	18	85.8	100	-	-	-	-	-	-	-	-	-	100
Merced	10	64.1	100	-	-	-	-	-	-	-	-	-	100
Riverside	8	59.0	4	-	94	2	-	-	-	-	-	-	100
Tulare	44	289.1	100	-	-	-	-	-	-	-	-	-	100
Total	263	1,709.4	89	*	11	*	-	-	-	-	-	-	100
New Mexico													
			Acala 1517BR	Acala 1517C	Acala 1517D	Del Cerro	Gregg	Pima S-1	Pima S-2	Other 1/	----	----	Total
Chaves	10	52.9	-	16	77	2	-	-	-	5	-	-	100
Dona Ana	17	71.0	-	29	56	2	-	4	9	*	-	-	100
Eddy	11	60.1	1	47	51	-	-	-	-	1	-	-	100
Lea	10	32.5	14	4	3	-	48	-	-	31	-	-	100
Luna	5	25.1	-	7	93	-	-	-	-	-	-	-	100
Roosevelt	6	16.8	-	-	-	-	97	-	-	3	-	-	100
All Other	7	18.5	2	5	79	-	12	-	-	2	-	-	100
Total	66	276.9	2	22	55	1	12	1	2	5	-	-	100
Texas													
District 6													
			Acala 1517BR	Acala 1517C	Acala 1517D	Del Cerro	DPL Smooth Leaf	Lankart	Pima S-1	Pima S-2	Stoneville	Other 1/	Total
El Paso	22	94.0	-	46	22	*	-	-	11	19	-	2	100
Hudspeth	7	29.9	-	28	59	1	1	-	4	4	1	2	100
Pecos	9	48.0	4	50	2	13	1	17	-	-	7	6	100
Reeves	20	119.7	2	38	7	1	7	11	-	5	27	2	100
All Other	5	16.9	12	43	20	b	4	8	-	-	6	7	100
Total	63	308.5	2	41	17	3	3	7	4	9	11	3	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.



1022919560



Growth Through Agricultural Progress